

Satellite Accumulation Area Inspection Form



The Maine DEP requires a weekly inspection of all Satellite Accumulation Areas (SAA). For any “NO” answer(s), list the deficiency and the corrective action(s) taken in the space provided below. At the end of each calendar month, e-mail the inspection checklists to Safety and Environmental Management at safety.environmental@bangormaine.gov.

Employee’s Name: _____ Date: _____

Department: _____ Location: _____

Observation		Yes	No	N/A
1	Is the SAA at or near the point of Hazardous Waste generation and under the control of the operator or responsible person?			
2	Are all waste containers in good condition, free from dents, bulges, significant rust or leaks? <i>If no Hazardous Waste is currently stored in the SAA, check “N/A” and skip the remaining questions.</i>			
3	Are all Hazardous Waste containers kept closed unless you are adding waste to the container?			
4	Is there 55 gallons or less of each waste stream (i.e. type of waste) stored in the SAA?			
5	Are incompatible wastes segregated or stored separately?			
6	Is the SAA located on a firm, impervious surface?			
7	Is there sufficient secondary containment to hold 20% of all wastes or 110% of the largest container?			
8	Is each container of Hazardous Waste labelled with the words “Hazardous Waste” and the contents of the container?			
9	Are all full Hazardous Waste containers labelled with date the container became full (i.e. full date)?			
10	Are full Hazardous Waste containers transported to the Hazardous Waste Storage Location within 72 hours of the full date?			

Deficiency Observed	Correction Action Taken