

Lanyard Inspection Form



Lanyards are required to be inspected annually by a competent person and recorded using this form. A thorough visual inspection must be conducted by the employee prior to using the lanyard. Any defect or deficiency found during an inspection must be reported to your supervisor and the lanyard will be removed from service. The completed form will be emailed to safety.environmental@bangormaine.gov.

Department: _____ **Inspection Date:** _____
Manufacturer: _____ **Manufactured Date:** _____
Model #: _____ **Name of Inspector:** _____
Serial #: _____ **Signature:** _____

If you answer "No" to any of the following questions, the lanyard must be removed from service.

		Yes	NO	N/A
1.	Is the label present and legible?			
2.	Are the appropriate ANSI/OSHA/CSA marking visible?			
3.	Is the date the lanyard was put into service present and legible?			
4.	Are the connectors operable and close/secure correctly?			
5.	Are the connectors in good condition free from any damage, excessive wear, corrosion or pitting?			
6.	Is all stitching in place, free from any damage?			
7.	Is the webbing free from fraying, cuts, damage, or excessive wear?			
8.	Is the webbing free from burns, mildew, ink/writing or chemical damage?			
9.	Is the wire rope free from broken wires, kinks, separation of strands?			
10.	Is the shock pack shock absorber properly covered with no signs of deployment of damage to the cover?			
11.	Is the internal shock absorber appear to be in its original condition, with no signs of deployment?			

Notes:


Summary:

Passed: _____ Failed: _____
 Reason for Lanyard to Fail Inspection: _____

Tagged Out of Service – Waiting for Repair: _____

Destroyed: _____

Single leg Lanyard
(External Shock)



Dual-Leg Lanyard
(Internal Shock & Non-Shock)

